List of polypores collected from natural forests in Sarawak, Borneo Island between 1954 and 2003

AUTHOR(S):

YAMASHITA, Satoshi; SALLEH, Habibah; HATTORI, Tsutomu

CITATION:

YAMASHITA, Satoshi ...[et al]. List of polypores collected from natural forests in Sarawak, Borneo Island between 1954 and 2003. Contributions from the Biological Laboratory Kyoto University 2018, 31(1): 1-46

ISSUE DATE:

2018-03-08

URL:

http://hdl.handle.net/2433/237225

Contr. biol. Lab. Kyoto Univ., Vol. 31, pp. 1-46 March 2019

List of polypores collected from natural forests in Sarawak, Borneo Island between 1954 and 2003

Satoshi YAMASHITA, Habibah SALLEH, Tsutomu HATTORI

ABSTRACT We re-identified polypore samples collected at 159 sites in Sarawak from 1954 to 2003 that had been maintained at the fungarium of Research, Development and Innovation Division, Forest Department Sarawak, Kuching. We present a list of 115 fungal species and one fungal subspecies out of 476 specimens from Polyporales and six other orders; pictures of all species and subspecies are included.

KEY WORDS Auriculariales / Boletales / Borneo / fungal species diversity / fungarium / Gloeophyllales / Hymenochaetales / Polyporales / Russulales / Trechisporales

Introduction

Fungi are the second most diverse group of living organisms in the world (Hawksworth 2001). They play important roles as decomposers, plant mutualists and parasites in forest ecosystems. Polypores, a morphological group of fungi that includes species belonging to order such as Hymenochaetales and Polyporales, are among the most important wood decomposers in forest ecosystems. Moreover, fruiting bodies of polypores play an important role in maintaining the diversity of arthropod species by providing food and habitat resources (Yamashita et al. 2015).

Large and long-lasting fruiting bodies of polypores are helpful for assessing the species diversity of wood-decaying fungi in tropical Asia. In northern Borneo, we revealed that a few polypore species dominate the polypore community in a primary forest, although more than 100 polypore species were recorded from the primary forest of Lambir Hills National Park, Sarawak (Yamashita et al. 2009a, 2009b). Based on these data, we revealed that the species diversity of polypores in primary forests is high in a tropical region compared with that in temperate or boreal regions (Yamashita et al. 2015). However, the geographical variation in the diversity of polypore species remains unknown.

Specimens collected from various study sites and maintained in natural history museums or research institutes contain potentially important information for understanding the geographical variation in species diversity (Graham et al. 2004). However, such research using fungal specimens is limited (Lavoie 2013) and has not been reported from tropical regions.

In Sarawak, approximately 900 specimens of polypores and other aphyllophoraceous fungi, including corticioid fungi, have been deposited in the fungarium of Research, Development and Innovation Division of the Forest Department Sarawak since the 1950s. In this study, we re-identified polypore specimens to provide a list of all the polypore species collected from 1950 to 2003 that were deposited in this fungarium.

Methods

Between 2015 and 2018, we evaluated 774 polypore fungal specimens that were kept in the fungarium. We re-identified all the fungal specimens to update their taxonomic position. Macroscopic and microscopic characteristics were used to morphologically identify species based on the keys and descriptions provided by Choeyklin et al. (2009), Corner (1983, 1984, 1987, 1989a, 1989b, 1991), Dai & Li (2012), Hattori (2000, 2001, 2003a, 2003b, 2005, 2008), Hattori & Sotome (2013), Hattori et al. (2014), Li et al. (2014), Ota et al. (2009), Ryvarden & Johansen (1980) and Sotome et al. (2009, 2013, 2014). Higher taxa primarily follow the classification of Justo et al. (2017) and Kirk et al. (2008). Species are alphabetically listed according to the genus and family. In this report, we provide the species names, identification numbers of the specimens and collection site. Moreover, we provided synonyms used by Ryvarden & Johansen (1980) and Núñez & Ryvarden (2000, 2001).

Results and Discussion

Among the 774 specimens collected from 159 study sites, 115 species and one subspecies out of 476 specimens from 125 study sites were identified to the species level. Three species belong to Auriculariales, one species belongs to Boletales, two species belong to Gloeophyllales, 25 species belong to Hymenochaetales, 80 species belong to Polyporales, two species belong to Russulales and one species belongs to Trechisporales. These specimens were collected from national parks in Sarawak or forests near Kuching. More than 15 samples were obtained from Bako National Park (30), Samunsam Wildlife Sanctuary (29), Gn Mulu National Park (23), Bkt Buri (21), Semengoh Arboretum (18), Niah National Park (17), Engkabang Plantation Semengoh (16) and Lambir Hills National Park (16).

Of the 298 specimens, 155 specimens could not be identified even to the genus level. We suggest that several polypores in Sarawak still remain undescribed. For example, we found unusual basidiocarps with a woody context, lamellae and a distinct stipe [Plate 24-120; cf. *Gloeophyllum*, PS.02289 (Sematan)] among the examined specimens. Molecular techniques may reveal the phylogenetic positions of such undetermined species. Although molecular techniques are useful, most of the samples seemed too old to obtain DNA in good

condition. Further studies are necessary to uncover the species diversity of polypores in Sarawak.

List

Order AURICULARIALES

Incertae sedis

Elmerina cladophora complex (Berk.) Bres., Hedwigia 53(1-2): 71 (1912) [1913]

PS 04959 (Niah NP) (Plate 1-1)

Elmerina substuppea complex (Berk. & Cooke) T. Hatt., Mycoscience 44(4): 272 (2003)

= *Protomerulius substuppeus* (Berk. & Cooke) Ryvarden, Syn. Fung. (Oslo) 5: 212 (1991)

PS.01521 (Niah FR) (Plate 1-2)

Protodaedalea foliacea (Pat.) Sotome & T. Hatt., in Sotome, Maekawa, Nakagiri & Lee, Mycol. Progr. 13(3): 994 (2014)

PS05211 (Ulu Balingian) (Plate 1-3)

Order BOLETALES

Incertae sedis

Serpula similis complex (Berk. & Broome) Ginns, Mycologia 63(2): 231 (1971)

PS 04899 (Lower Baram FR) (Plate 1-4)

Order GLOEOPHYLLALES

Gloeophyllaceae

Gloeophyllum imponens (Ces.) Teng, Chung-kuo Ti Chen-chun, [Fungi of China]: 760 (1963)

= *Hispidaedalea imponens* (Ces.) Dai & He, in He, Vlasák & Dai, Mycol. Progr. 13: 836 (2014)

PS05616 (Bako NP), PS 05492 (Batu Lawi NP), FP No. 00060 / PS No. 00702 (Bkt Buri), PS.01887 (Gn Besi, Lundu) (Plate 1-5), PS04857 (Gn Gading FR), FP No. 00060 / PS No. 00021, PS. No. 04829 (Gn Mulu NP)

Gloeophyllum striatum (Fr.) Murrill, Bull. Torrey bot. Club 32(7): 370 (1905)

= *Daedalea striata* Fr. Syst. Mycol. 1: 334 (1821)

PS 04991 (Gn Lesong, Sri Aman), FP No. 00740 / PS No. 01718 (Kawood Sawmill, Sibu) (Plate 2-6), FP No. 00740 / PS No. 01071 (Kuala Baram), FP No. 00740 / PS No. 01192 (Lbk. Engkala L/C, Btg Sadong, 1st Division), PS04851 (Niah FR), FP No. 00740 / PS No. 00982 (Sematan Mangrove), FP No. 00740 / PS No. 01183 (Sg

Kedar, Seribas)

Order HYMENOCHAETALES

Hymenochaetaceae

Coltricia kinabaluensis complex Corner ex Y.C. Dai & Hai J. Li, Mycoscience 53(5): 341 (2012)

FP No. 00581 / PS No. 00725 (Bkt Buri) (Plate 2-7)

Coltriciella deceptiva (Lloyd) Corner, Beih. Nova Hedwigia 101: 44 (1991)

PS.02099 (Lambir NP), PS. 00565 / FP. 00143 (Tanjong Rian, Sibu) (Plate 2-8)

Coltriciella dependens (Berk. & M.A. Curtis) Murrill, Bull. Torrey bot. Club 31(6): 348 (1904)

= *Polyporus dependens* Berk. & Curt. Ann. Mag. Nat.Hist. Ser. 2, Vol. 12: 431, 1853.

PS 05490 (Batu Lawi NP), PS 2432 (Bkt Pagon Periok, Limbang) (Plate 2-9), PS. 01761 (Gn Raya, Bau), PS.01357 / FP00143 (Samunsam WS), PS.00627 / FP.0143 (Sematan)

"*Cyclomyces*" *setiporus* (Berk.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 98 (1900)

= *Polyporus setiporus* Berk. Land. J. Bot. 6: 505 (1847)

PS 2133 (Lambir NP) (Plate 2-10), PS 1034 (Semengoh Arboretum)

Fulvifomes fastuosus complex (Lév.) Bondartseva & S. Herrera, Mikol. Fitopatol. 26(1): 13 (1992)

= *Polyporus fastuosus* Lév. Ann. Sci. Nat. Ser. 3, Vol. 2: 190 (1844)

= *Phellinus fastuosus* (Lév.) S. Ahmad, Basidiomyc. W. Pakist.: 56 (1972)

FP No. 00030 / PS. No. 00011 (Gn Serapi) (Plate 3-11), PS 2079 (Lambir), FP No. 00236 / PS No. 00591 (Loba Kabang PF), PS 04960 (Niah NP), PS05005 (Sematan Mangrove)

Fuscoporia discipes (Berk.) Dai & Ghob.-Nejh., in Ghobad-Nejhad & Dai, Mycotaxon 101: 216 (2007)

= *Polyporus discipes* Berk. Hooker Lond. J. Bot. 6: 499 (1847)

= *Phellinus discipes* (Berk.) Ryvarden, Kew Bull. 31(1): 88 (1976)

PS.0050/FP.0074 (Bako NP), PS 2506 (Bkt Pagon Periok, Limbang) (Plate 3-12)

Fuscoporia gilva complex (Schwein.) T. Wagner & M. Fisch., Mycologia 94(6): 1013 (2002)

= *Boletus gilvus* Schw. Fungi Carol. Super. II: 70 (1822)

= *Phellinus gilvus* (Schwein.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 82 (1900)

PS 2580 (Bkt Pagon Periok, Limbang), PS 986 (Loba Pulau PF) (Plate 3-13), PS.04486 (Sg Apat, Dalat), PS 05588 (Sg Kenalian, Lawas) (Plate 3-14), PS 05282 (Sg Riam, Rambungan)

Fuscoporia senex (Nees & Mont.) Ghob.-Nejh., in Ghobad-Nejhad & Dai, Mycotaxon 101: 208 (2007)

= *Polyporus senex* Nees & Mont. Ann. Sci. Nat. Ser. 2 vol 5: 70 (1836)

= *Phellinus senex* (Nees & Mont.) Imazeki, Bull. Gov. Forest Exp. Stn Tokyo 57: 115 (1952)

FP No. 00236 / PS No. 00101 (Engkabang Plantation Semengoh) (Plate 3-15), PS 2230 (Gn Jambusan, Bau)

Hymenochaete cyclolamellata T. Wagner & M. Fisch., Mycol. Prog. 1: 101 (2002)

= *Cyclomyces fuscus* complex Kunze ex Fr., Linnaea 5: 512 (1830)

PS 2121 (Plate 4-16), PS 2141 (Lambir NP)

Hymenochaete porioides T. Wagner & M. Fisch., Mycol. Progr. 1(1): 101 (2002)

= *Polyporus tabacinus* Mont. Ann. Sci. Nat. Ser. 3, vol 3: 349 (1835)

= *Cyclomyces tabacinus* (Mont.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 98 (1900)

= *Inonotus tabacinus* (Mont.) Cunn., Bull. N.Z. Dept. Sci. Industr. Res., Pl. Dis. Div. 78: 3 (1948)

PS 1211, PS 938 (Bako NP), FP No. 00543 / PS No. 00660 (Bkt Buri), PS 1270 (Engkabang Plantation Semengoh), PS 900 (Klauh FR) (Plate 4-17), PS.02189 (Lambir NP), PS 04936 (Niah NP), FP No. 00543 / PS NO. 01356, PS 1363 (Samunsam WS)

Inonotus clemensiae Murrill, Bull. Torrey bot. Club 35: 401 (1908)

PS 945 (Bako NP) (Plate 4-18)

Inonotus pachyphloeus (Pat.) Wagner & Fisch., Mycologia 94: 1009 (2002)

= *Polyporus pachyphloeus* Pat., Jour. Bot. (Paris), 3(15): 257 (1889)

= *Phellinus pachyphloeus* (Pat.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 97 (1900)

FP No. 00287 / PS No. 00195 (Lower Baram FR) (Plate 4-19)

Inonotus patouillardii (Rick) complex Imazeki, Bull. Tokyo Sci. Mus. 6: 105 (1943)

PS 1674 (Gn Santubong) (Plate 4-20)

Phellinus glaucescens (Petch) Ryvarden, Norw. Jl Bot. 19: 234 (1972)

= *Poria glaucescens* Petch, Ann. Roy. Bot. Gard. Peradeniya 6: 139 (1916)

FP No. 00444 / PS No. 00470 (Gn Mulu NP) (Plate 5-21)

Phellinus lamaensis (Murrill) Pat., Bull. Mus. natn. Hist. nat., Paris 29: 336 (1923)

= *Pyropolyporus lamaensis* Murr., Bull. Torrey Bot. Club 34 (9): 479 (1907)

PS05487 (Batu Lawi NP), PS 2073 (Gn Bunut, Sira Pedawan) (Plate 5-22), FP No. 00016 / PS No. 00249 (Loba Kabang PF), PS 0889 (Sebuyau PF)

Phellinus setulosus (Lloyd) Imazeki, Bull. Tokyo Sci. Mus. 6: 104 (1943)

= *Fomes setulosus* Lloyd, Mycol. Writ. 4: 243 (1915)

PS 1762 (Gn Raya, Bau) (Plate 5-23)

Phylloporia chrysites (Berk.) Ryvarden [as 'chrysita'], Norw. Jl Bot. 19: 235 (1972)

= *Polyporus chrysites* Berk. Hooker J. Bot. 8: 233 (1856)

PS 1582 (Bako NP) (Plate 5-24)

Phylloporia pectinata complex (Klotzsch) Ryvarden, Syn. Fung. (Oslo) 5: 196 (1991)

= *Polyporus pectinatus* Kl. Linnaea 8: 486 (1833)

= *Phellinus pectinatus* (Klotzsch) Quél., Enchir. fung. Paris: 173 (1886)
PS 1418 (Bkt Kapur, Bau) (Plate 5-25), FP No. 00330 / PS No. 00247 (Gn Gading FR), PS 901 (Klauh FR), PS.02138 (Lambir NP), PS 05121 (Tg Datu NP)

Pyrrhoderma adamantinum (Berk.) Imazeki, Trans. Mycol. Soc. Japan 7: 5 (1966)
= *Polyporus adamantinus* Berk. Hook. J. Bot. 6: 141 (1854)
= *Phellinus adamantinus* (Berk.) Ryvarden, Norw. Jl Bot. 19: 234 (1972)
PS 2761 (Merurong plateau, Bintulu) (Plate 6-26)

Incertae sedis

Oxyporus mollissimus (Pat.) D.A. Reid, Microscopy 32: 456 (1975)
= *Polyporus mollissimus* Pat. J. Bot. Paris 1: 340 (1897)
= *Spongipellis stramineus* Pat. Bull. Soc. Mycol. Fr. 23: 52 (1917)
= *Leucophellinus hobsonii* (Berk. ex Cooke) Ryvarden, Mycotaxon 31: 51 (1988)
PS00299 (Gn Batu, Bau) (Plate 6-27)

Trichaptum biforme (Fr.) Ryvarden [as 'biformis'], Norw. Jl Bot. 19(3-4): 237 (1972)
= *Polyporus biformis* Fr. in Kl. Linnaea 8: 486 (1833)
= *Polyporus pergamenus* Fr. Epicr. p. 480 (1838)
PS 2433, PS 2581(Bkt Pagon Periok, Limbang) (Plate 6-28), PS 05459, PS 05463(Gn Murud, Lawas)

Trichaptum byssogenum (Jungh.) Ryvarden [as 'byssogenus'], Norw. Jl Bot. 19(3-4): 237 (1972)
= *Polyporus byssogenus* Jungh. Verh. Batav. Genootsch. 17: 43 (1838)
= *Trametes versatilis* Berk. Hook. Lond. J. Bot. 1: 150 (1842)
PS 05138 (Pulau Nak Dendang, Sematan), PS 1177 (Pusa Sawmill, 2nd Div), PS 05431 (Rajang Mangrove NP), PS. 02310 (Sematan), PS 05263 (Sg Asam, Rambungan) (Plate 6-29), PS 05316 (Sg Empayak, Saratok), PS04462 (Sg Sekait, Sri Aman), PS 05139 (Tg Datu NP), PS.00627 / FP.0143 (Sematan)

Trichaptum durum (Jungh.) Corner, Beih. Nova Hedwigia 86: 219 (1987)
= *Polyporus durus* Jungh. Verh. Batav. Genootsch. 17: 62 (1838)
= *Nigroporus durus* (Jungh.) Murr. Bull. Torrey Bot. Cl. 34: 471 (1907)
PS 2503 (Bkt Pagon Periok, Limbang) (Plate 6-30), PS 2120 (Lambir NP)

Trichaptum lacunosum Corner, Beih. Nova Hedwigia 86: 225 (1987)
FP No. 00578 / PS No. 00750 (Bkt Buri), PS.01419 / FP.00143 (Bkt Kapur, Bau), PS04838 (Gn Serapi), PS03150 / FP00143 (Samunsam WS) (Plate 7-31), PS.01064 / FP.00143 (Sematan), FP No. 00143 / PS No. 00547 (Telok Belian, Santubong)

Trichaptum sprucei (Berk.) Rajchenb. & Bianchin., Mycol. Res. 96(11): 957 (1992)
FP No. 00139 / PS No. 00944, FP No. 00139 / PS No. 01023, PS05599 (Bako NP), PS04837, PS04839 (Gn Serapi), FP No. 00139 / PS No. 00355 (Gn Tai Ton, Bau) (Plate 7-32), PS 05420 (Ulu Sg Kura, Simunjan)

Order POLYPORALES

Cerrenaceae

Cerrena zonata complex (Berk.) H.S. Yuan, Mycol. Progr. 13(2): 363 (2013) [2014]
= *Irpex zonatus* Berk., Hooker's J. Bot. Kew Gard. Misc. 6: 168 (1854)
= *Antrodiella zonata* (Berk.) Ryvarden, Boln Soc. argent. Bot. 28(1-4): 228 (1992)
PS 2504 (Bkt Pagon Periok, Limbang) (Plate 7-33)

Fomitopsidaceae

Daedalea aurora complex (Ces.) Aoshima, Trans. Mycol. Soc. Japan 8(1): 2 (1967)
PS.00657 (Bkt Buri), PS.0845 / FP. 0050, PS05013 (Gn Mulu NP), PS 04904 (Lower Baram FR), PS 2762 (Merurong plateau, Bintulu), PS 05575 (Sabal FR), PS 1294 (Samunsam WS) (Plate 7-34), FP No. 00050 / PS No. 00847, PS 04975 (Sg Tekalong, Lintgga)

Daedalea dochmia (Berk. & Broome) T. Hatt., Mycoscience 46(5): 307 (2005)
= *Polyporus dochmius* Berk. & Br. Linn. Soc. Bot. J. 14: 50 (1857)
= *Fomitopsis dochmius* (Berk. & Br.) Ryv. Norw. J. Bot. 19: 231 (1972)
PS 947 (Bako NP), PS. 02760 (Bkt Skalap, Bintulu), PS 04993 (Gn Lesong, Sri Aman), FP No. 00040 / PS No. 00505 (Gn Mulu NP), PS 1763 (Gn Raya, Bau) (Plate 7-35), FP No. 00040 / PS No. 00140, PS.0080 / FP.0141 (Gn Serapi), PS 1032, PS 877, PS 880 (Semengoh Arboretum)

Daedalea lusor (Corner) T. Hatt., Mycoscience 46(5): 311 (2005)
PS.00701, PS.00730 (Bkt Buri), PS 868 (Loba Kabang PF), PS 1364 (Samunsam WS) (Plate 8-36)

Daedalea pseudodochmia (Corner) T. Hatt., Mycoscience 46(5): 308 (2005)
PS.0663/FP.0558 (Bkt Buri) (Plate 8-37), PS 05338 (Sg Sendok, Matang)

Fomitopsis ostreiformis complex (Berk.) T. Hatt., Mycoscience 44(4): 272 (2003)
PS 1736 (Gn Raya, Bau), PS 05124 (Sg Angus, Sematan) (Plate 8-38), PS 05265 (Sg Asam, Rambungan) PS 05262 (Sg Asam, Rambungan)

Fomitopsis pseudopetchii (Lloyd) Ryvarden, Norw. Jl Bot. 19: 231 (1972)
= *Fomes pseudopetchii* Lloyd. Lloyd Mycol. Writ. 7: 1202 (1923)
PS.0057 / FP.0141 (Semengoh Arboretum) (Plate 8-39)

Fomitopsis rubida (Berk.) A. Roy & A.B. De [as 'rubidus'], Mycotaxon 60: 317 (1996)
PS.00655 (Bkt Buri) (Plate 8-40), PS.0235 / FP. 0138 (Gn Gading FR)

Incrustoporiaceae

Tyromyces armeniacus (Corner) T. Hatt., Mycoscience 44(6): 456 (2003)
PS 1298 (Plate 9-41), PS 3151 (Samunsam WS)

Irpicaceae

Flavodon cervinogilvus (Jungh.) Corner, Beih. Nova Hedwigia 86: 58 (1987)
= *Oxychaete cervinogilva* (Jungh.) Miettinen, in Miettinen, Spirin, Vlasák, Rivoire, Stenroos & Hibbett, MycoKeys 17:20 (2016)

PS 1210 (Plate 9-42), PS 943 (Bako NP), PS 04891 (Gn Mentawa, Pedawan), PS 1522 (Niah FR), PS 1184 (Sematan Mangrove)

Flavodon flavus (Klotzsch) Ryvarden, Norw. Jl Bot. 20(1): 3 (1973)

= *Irpex flavus* Klotzsch, Linnaea 8: 488 (1833)

= *Irpex flavus* Jungh., Verhand. Batav. Genootsch. 17: 46 (1839)

PS 04906 (Lower Baram FR) (Plate 9-43)

Laetiporaceae

Laetiporus discolor (Klotzsch) Corner, Beih. Nova Hedwigia 78: 183 (1984)

PS.0142 / FP.0716 (Gn Serapi), PS. 03131 / FP0716, PS. 03138, PS. 03157 (Samunsam WS) (Plate 9-44)

Laetiporus sulphureus complex (Bull.) Murrill, Annls mycol. 18(1/3): 51 (1920)

= *Polyporus sulphureus* Fr. Syst. Mycol. 1: 357 (1821)

PS4132 (Gn Mulu NP) (Plate 9-45), PS.04482 (Sg Apat Camp B, Balingian)

Meripilaceae

Meripilus applanatus Corner, Beih. Nova Hedwigia 78: 197 (1984)

PS.04301 (Belaga), PS. 04113, PS. 04115 (Gn Mulu NP) (Plate 10-46), PS 05571 (Sg Urak Linau, Belaga)

Rigidoporus defibulatus (D.A. Reid) Corner, Beih. Nova Hedwigia 86: 159 (1987)

= *Microporellus defibulatus* D.A. Reid, Microscopy 32: 452 (1975)

PS 05089 (Tg Datu NP) (Plate 10-47)

Rigidoporus lineatus (Pers.) Ryvarden, Norw. Jl Bot. 19: 236 (1972)

= *Polyporus lineatus* Pers. in Gaudichaud, Vouyage aut. de Monde p.174 (1827)

PS 2582 (Bkt Pagon Periok, Limbang) (Plate 10-48)

Rigidoporus microporus (Sw.) Overeem, Icon. Fung. Malay. 5: 1 (1924)

= *Polyporus microporus* Fr. Syst. Mycol. 1: 376 (1821)

= *Polyporus lignosus* Kl, Linnaea 8: 485 (1833)

PS 04884 (Bako NP), FP No.00122 / PS No. 00733 (Bkt Buri), PS.0609 / FP. 0485 (Engkabang Plantation Semengoh), FP No.00122 / PS No. 00282, FP No.00122 / PS No. 00842 (Ensengei FR), PS 04992 (Gn Lesong, Sri Aman), PS 2002 (Gn Mentawa, Pedawan), PS. 02019 (Gn Sebeduk, Krian Pedawan), FP No. 00138 / PS No. 00081 (Gn Serapi), PS.4456 (Kok Hua Sawmill. Seratok.), PS 05495 (Lawas), PS 04902 (Lower Baram FR), PS 04935 (Niah NP), PS 1324, PS 1376 (Samunsam WS) (Plate 10-49), PS.0106/ FP.0122 (Semengoh Arboretum), PS04352 (Sg Iseng, Sebuyau), PS 05364 (Similajau NP), PS 05426 (Sg Tapang, Simunjan)

Podoscyphaceae

Abortiporus zonatus (Corner) T. Hatt., Mycoscience 72(1): 23 (1999)

PS 1525 (Niah FR) (Plate 10-50)

Polyporaceae

Abundisporus fuscopurpureus (Pers.) Ryvarden, Belg. Jl Bot. 131(2): 154 (1999) [1998]

= *Polyporus fuscopurpureus* Pers., Voy. aut. Monde, Bot. p.172 (1827)

PS 2277 (Gn Gading FR) (Plate 11-51c), PS 2322 (Ulu Sg Sepayan, Pagon) (Plate 11-51a, b)

Amauroderma atrum (Lloyd) Corner, Beih. Nova Hedwigia 75: 70 (1983)

PS.0654 / FP.0642 (Bkt Buri), PS 05413 (Sg Sabal Apeng, Simunjan) (Plate 11-52)

Amauroderma conjunctum (Lloyd) Torrend, Brotéria, sér. bot. 18(no. 2): 133 (1920)

= *Polyporus conjunctus* Lloyd Mycol. Writ. 5: 812 (1918)

= *Polyporus eylesii* Van. d. Byl. S. Afr. J. Sci. 24: 225 (1927)

PS05344, PS05350 (Sg Rayu, Matang) (Plate 11-53)

Amauroderma leptopus (Pers.) J.S. Furtado, Bull. Jard. Bot. natn. Belg. 37: 310 (1967)

PS.1212/FP.0033 (Plate 11-54), PS05038 (Bako NP), PS.1133/FP.0033 (Niah NP)

Amauroderma parasiticum Corner, Beih. Nova Hedwigia 75: 79 (1983)

PS 1722 (Semengoh Arboretum) (Plate 11-55)

Amauroderma subrugosum (Bres. & Pat.) Torrend, Brotéria, sér. bot. 18(no. 2): 128 (1920)

PS. 00969, PS.01237 (Bako NP), PS.00034 (Engkabang Plantation Semengoh), PS.01777 (Gn Besi, Lundu), PS. 0232/FP.0119, PS.0246/FP.0088 (Gn Gading FR), PS.01519 (Niah FR), PS05151 (Niah NP), PS05026, PS05027 (Nyabau, Bintulu), PS.0855/FP.0088 (Sawai PF), PS.0053/FP.0088, PS.0129/FP.0660 (Plate 12-56), PS.0666/FP.0660 (Semengoh Arboretum), PS05348 (Sg Rayu, Matang), PS 05108 (Tg Datu NP)

Coriolopsis albobadia (Lloyd) T. Hatt. & Sotome, Mycoscience 54(4): 305 (2013)

= *Polystictus albobadius* Lloyd, Mycol. Writ. 6 (Letter 65): 1038 (1920)

= *Trametes retropicta* Lloyd, Mycol Writ. 7 (Letter 66): 1113 (1922)

= *Coriolopsis retropicta* (Lloyd) Teng, Chung-kuo Ti Chen-chun: 760 (1963)

FP No. 00333 / PS No. 00315 (Gn Doya, Bau), PS. 01464 (Gn Tai Ton, Bau) (Plate 12-57), PS04922 (Lambir NP), FP No. 00333 / PS No. 00522 (Santubong)

Coriolopsis aspera complex (Jungh.) Teng, Chung-kuo Ti Chen-chun, [Fungi of China]: 759 (1963)

= *Polyporus asper* Jungh. Verh. Batavisch. Genootsch. 17: 60 (1838)

PS.0045/FP.0017 (Bako NP) (Plate 12-58), PS. 0007/FP0017 (Bkt Braang, Pedawan), FP No. 00017 / PS No. 00846 (Lambir NP)

Coriolopsis badia (Berk.) Murrill, Bull. Torrey bot. Club 34: 466 (1907)

PS 05264 (Sg Asam, Rambungan), PS 05314 (Sg Empayak, Saratok) (Plate 12-59), PS.04478 (Mukah), PS 2280 (Road to Biawak, 1st Div), PS 1345, PS 1354, PS 1377 (Samunsam WS)

Coriolopsis caperata complex (Berk.) Murrill, N. Amer. Fl. (New York) 9(2): 77 (1908)

= *Polyporus caperatus* Berk. Ann. Mag. Nat: Hist. Ser. 1, vol. 3: 391 (1839)

PS.00675 (Bkt Buri), PS 04950 (Niah NP), PS 05299 (Sg Stoh, Rambungan) (Plate 12-60)

Coriolopsis glabrorigens (Lloyd) Núñez & Ryvarden [as 'glabro-rigens'], Syn. Fung. (Oslo) 14: 256 (2001)

= *Polystictus glabrorigens* Lloyd, Mycol. Writ. 7: 1145 (1922)

PS 04985 (Gn Lesong, Sri Aman) (Plate 13-61)

Coriolopsis lacunosa (Corner) T. Hatt., Mycoscience 42(5): 425 (2001)

= *Trichaptum lacunosum* Corner, Beih. Nova Hedwigia 86: 225 (1987)

PS 04988 (Sg. Jongkong Sawmill, Sri Aman) (Plate 13-62)

Coriolopsis polyzona (Pers.) Ryvarden, Norw. Jl Bot. 19: 230 (1972)

= *Polyporus polyzonus* Pers., Gaudichaud Voy. aut. Monde., Bot. p. 170 (1827)

PS 1461 (Gn Tai Ton, Bau) (Plate 13-63)

Coriolopsis sanguinaria (Klotzsch) Teng, Chung-kuo Ti Chen-chun, [Fungi of China]: 760 (1963)

= *Polyporus sanguinarius* Kl. Linnaea 8: 484 (1833)

PS. 03405 (Gn Mulu NP) (Plate 13-64)

Coriolopsis strumosa complex (Fr.) Ryvarden, Kew Bull. 31(1): 95 (1976)

= *Polyporus strumosus* Fr. Epicr. p.462 (1838)

= *Trametes strumosa* (Fr.) Zmitr., Wasser & Ezhov, in Zmitrovich, Ezhov & Wasser, IJMM 14: 318 (2012)

PS 04979 (Klauh FR) (Plate 13-65)

Datroniella subtropica B.K. Cui, Hai J. Li & Y.C. Dai, in Li, Cui & Dai, Persoonia 32: 175 (2014)

FP No. 00098 / PS No. 00184 (Niah FR) (Plate 14-66)

Earliella scabrosa (Pers.) Gilb. & Ryvarden, Mycotaxon 22(2): 364 (1985)

= *Polyporus scabrosus* Pers. Gaudich, Voyage aut Monde. p. 172 (1827)

= *Trametes scabrosa* (Pers.) Cunn. Bull. N. z. Dept. Sci. Industr. Res. 164: 162-63 (1965)

PS. 03354 (Bakam, Miri), PS 1243 (Bako NP), FP No. 00001 / PS No. 00728 (Bkt Buri) (Plate 14-67), FP No. 00001 / PS No. 00102, FP. No. 00001 / PS No. 01271 (Engkabang Plantation Semengoh), PS. 02055 (Gn Bunut, Sira Pedawan), FP. No. 00001 / PS NO. 01478 (Gn Tai Ton, Bau), FP. No. 00001/ PS No. 01106 (Niah NP), PS 05140 (Sg Puguh, Sematan); PS 05308 (Sg Stoh, Rambungan)

Echinochaete russiceps (Berk. & Broome) D.A. Reid, Kew Bull. 17(2): 285 (1963)

= *Polyporus russiceps* Berk. & Br., Jour. Linn. Soc. Bot. 14: 48 (1873)

PS. No. 4783 (Sg Angkong Camp, Lingga) (Plate 14-68)

Favolus brasiliensis complex (Fr.) Fr., Linnaea 5: 511 (1830)

= *Daedalea brasiliensis* Fr. Syst. Myc. 1: 332 (1821)

PS.4457 (Sg Sekait, Sri Aman) (Plate 14-69)

Favolus emerici (Berk. ex Cooke) Imazeki, Bull. Tokyo Sci. Mus. 6: 95 (1943)

= *Polyporus grammocephalus* Berk., London J. Bot. 1(3): 148 (1842)

PS 1889 (Gn Gading FR), FP No. 00242 / PS No. 00341 (Gn Jebong, Bau) (Plate 14-70),

PS. 01481 (Gn Sirenggok, Bau), FP No. 00144 / PS No. 00086 (Herbarium Nursery, Kuching, 1st Div.), PS 04918 (Lambir NP), PS. 02056 (Mulambak, Sira Pedawan), PS 2320 (Ulu Sg Sepayan, Pagon)

Favolus roseus Lloyd, Mycol. Writ. 7(Letter 67): 1157 (1922)

FP No. 00284 / PS No. 00065 (Gn Jambusan, Bau), FP No. 00065 / PS No. 01178 (Sebuyau PF) (Plate 15-71)

Favolus spatulatus complex (Jungh.) Lév. [as 'spathulatus'], Annls Sci. Nat., Bot., sér. 3 2: 203 (1844)

= *Laschia spatulata* Jungh. Verhand. Batav, Genootsch. 17: 75 (1838)

FP No. 00065 / PS No. 00023 (Bkt Nyabau, Bintulu), FP No. 00065 / PS No. 00024 (Gn Mulu NP), PS. No. 4517 (Saratok) (Plate 15-72)

Ganoderma australe complex (Fr.) Pat., Bull. Soc. mycol. Fr. 5(2,3): 65 (1889)

= *Polyporus australe* Fr. Elench. Fung. p. 108 (1828)

PS 1236 (Bako NP), PS.01009 (Bkt Baju, Pedawan), PS. 0727 / FP. 0603 (Bkt Buri), PS 2757 (Bkt Skalap, Bifntulu), PS.0037/FP.0008, PS.0069 / FP.0008, PS.01275 (Engkabang Plantation Semengoh), PS.01398, PS.0284 / FP.0008 (Gn Batu, Bau), PS.0014 / FP.0008, PS.0194 / FP.0033 (Gn Mulu NP), PS 1630 (Gn Santubong), PS 2013 (Gn Sebeduk, Krian Pedawan), PS.0085 / FP.0033 (Gn Serapi), FP No. 00008/PS No. 00320 (Gn Setiak, Bau), PS.01423 (Gn Umbut, Bau), PS04917 (Lambir NP), PS 04815 (Lapak PF, Sarikei), PS.1067/FP.0033 (Lower Baram FR), PS05322 (Matang WC), PS 04939, PS05152 (Niah NP), PS.01278 (Research Office, Kuching), PS04880 (Sebuyau PF), PS.0057 / FP.0141, PS.0058 / FP.0044, PS.0059/FP.0079 (Semengoh Arboretum) (Plate 15-73), PS 927 (Semengoh Biological Centre), PS05039, PS05040 (Semengoh FR), PS05128 (Sg Angus, Sematan), PS04459 (Sg Sekait, Sri Aman), PS 2321 (Ulu Sg Sepayan, Pagon)

Ganoderma colossus (Fr.) C.F. Baker, Brotéria, sér. bot. 18(no. 2): 37 (1920)

= *Polyporus colossus* Fr. Nova Acta Soc. Sci. Upsal. III 1: 56 (1851)

= *Ganoderma obockenese* Pat. Bull. Soc. Mycol. Fr. 3: 119 (1887)

= *Polyporus hollandii* Mass. Bull. Misc. Inf. Kew: 163 (1901)

PS 04910 (Kuala Baram) (Plate 15-74)

Ganoderma lucidum complex (Curtis) P. Karst., Revue mycol., Toulouse 3(no. 9): 17 (1881)

= *Polyporus lucidum* Fr. Syst. Mycol. 1: 353 (1821)

PS.01774 (Bkt Undan, Bau) (Plate 15-75)

Ganoderma ochrolaccatum (Mont.) Pat., Bull. Soc. mycol. Fr. 5(2,3): 68 (1889)

PS 906 (Rajang Mangrove FR), PS05429, PS05435 (Rajang Mangrove NP), PS 04881 (Sematan), PS05279 (Sg Bandang, Rambungan), PS04858, PS05586 (Sg Kenalian, Lawas) (Plate 16-76)

Hexagonia tenuis (Fr.) Fr., Epicr. syst. mycol. (Upsaliae): 498 (1838) [1836-1838]

= *Boletus tenuis* Hook. in Kunth, Syn. Pl. 1: 10 (1822)

PS.01581, PS05603 (Bako NP), FP No. 00028 / PS No. 00254 (Gn Gading FR), FP No.

00028 / PS No. 00010 (Gn Mentawa, Pedawan), FP No. 00028 / PS No. 00234 (Lundu), PS 05432 (Rajang Mangrove NP), PS.0558 (Santubong), PS. 00622 / FP.00457, PS05004 (Sematan Mangrove), PS 05127 (Sg Angus, Sematan), PS 05278 (Sg Bandang, Rambungan) (Plate 16-77)

Lenzites acutus Berk., London J. Bot. 1(3): 146 (1842)

PS.0946 (Bako NP), PS. 00721 (Bkt Buri), PS04840 (Engkabang Plantation Semengoh), PS. 02071 (Gn Api, Kuching), PS. 01886, PS.01888 (Gn Besi, Lundu), FP No. 00736 / PS No. 01717 (Kawood Sawmill, Sibu), PS04983 (Klauh FR), PS. 02085 (Lambir), PS.01113 (Lambir NP or Niah NP), PS.01518, PS.01520 (Niah FR), PS 2314 (Sabal FR), PS. 03139, PS.01355 (Samunsam WS), PS. 04350 (Sg Buloh Ayan, Sebuyau) (Plate 16-78), PS. 01201 (Sg Jalik, Sibu), PS 05145 (Sg Puguh, Sematan), FP No. 00736 / PS No. 01154 (Sg Tisak, Btg Lupar), PS.03554 (Similajau NP)

Lenzites elegans (Spreng.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 89 (1900)

= *Daedalea elegans* Fr. Syst. mycol. 1: 335 (1821)

= *Trametes elegans* (Spreng.) Fr., Epicr. syst. mycol. (Upsaliae): 492 (1838)

PS. 03356 (Bakam, Miri), FP No. 00077 / PS No. 00067, PS. 01274 (Engkabang Plantation Semengoh), PS. 01885 (Gn Besi, Lundu), PS.01810 (Gn Gading FR), PS 00028 (Gn Mulu NP), FP No. 00077 / PS. No. 01466 (Gn Tai Ton, Bau), PS 05286 (Loba Rambungan), PS.01502 (Oya Road, Sibu), PS 05430 (Rajang Mangrove NP), PS05130 (Sg Angus, Sematan), FP No. 00077 / PS. No. 00851 (Sebuyau PF), FP No. 00077 / PS No. 00061 (Semengoh Arboretum), PS05294 (Sg Lintah, Rambungan), PS05300 (Sg Stoh, Rambungan), PS No. 03556 (Similajau NP) (Plate 16-79)

Lenzites vespaceus (Pers.) Pat., Essai Tax. Hyménomyc. (Lons-le-Saunier): 91 (1900)

= *Polyporus vespaceus* Pers. in Gaudichaud, Voy. au. Monde p.170 (1827)

PS04830 (Gn Mulu NP) (Plate 16-80)

Lignosus rhinocerus (Cooke) Ryvarden, Norw. Jl Bot. 19: 232 (1972)

= *Polyporus rhinocerus* Cooke, Trans. Bot. Soc. Edinburgh 13: 150 (1879)

PS.0726 / FP. 0564 (Bkt Baju, Pedawan) (Plate 17-81), PS. 0738 / FP. 0564, PS.1014 / FP. 0564 (Bkt Buri), PS.01983 (Gn Mentawa, Pedawan)

Microporellus fuliginosus Corner, Beih. Nova Hedwigia 86: 109 (1987)

PS 04896 (Semengoh Arboretum) (Plate 17-82)

Microporellus grandiporus complex Corner, Beih. Nova Hedwigia 86: 110 (1987)

PS.02199, PS04912 (Lambir NP) (Plate 17-83), PS.03235 (Niah NP), PS. 02301 (Sematan Mangrove)

Microporellus inusitatus complex (Lloyd) Corner, Beih. Nova Hedwigia 86: 12 (1987)

FP. 00561 / PS. 00851 (Bkt Buri) (Plate 17-84), PS. 0508 / FP. 0483 (Gn Mulu NP), FP No. 00561 / PS No. 00850 (Sawai PF), PS 1063 (Semengoh Arboretum)

Microporellus inusitatus var. parvisporus Corner, Beih. Nova Hedwigia 86: 115 (1987)

= *Microporellus inusitatus* (Lloyd) Corner, Beih. Nova Hedwigia 86: 12 (1987)

PS.04203 (Usun Apau) (Plate 17-85)

Microporus affinis (Blume & T. Nees) Kuntze, Revis. gen. pl. (Leipzig) 3: 494 (1898)
= *Polyporus affinis* Blume & T. Nees, Nova Acta Phys.-Med. Acad. Caes. Leop.-Carol. Nat. Cur. 13: 18 (1826)
PS 2507 (Bkt Pagon Periok, Limbang), FP No., 00066 / PS No. 00161, PS 04878 (Engkabang Plantation Semengoh), PS 05466 (Gn Murud, Lawas), PS 896 (Plate 18-86), PS04994 (Sebuyau PF), PS 875 (Semengoh Arboretum), FP. No. 00066 / PS No. 01276 (Semengoh FR)

Microporus affinis-microloma (Lloyd) T. Hatt. & Sotome, Mycoscience 54(4): 302 (2013)
PS04927 (Niah NP) (Plate 18-87)

Microporus carneoniger (Berk. ex Cooke) Kuntze, Revis. gen. pl. (Leipzig) 3(2): 495 (1898)
FP No. 00048 / PS No. 00454 (Plate 18-88), FP No. 00048 / PS No. 00506, FP No. 00048/ PS No. 00016 (Gn Mulu NP), PS05349 (Matang WC), PS.No.003234 (Niah NP), FP No. 00048/ PS No. 01323 (Samunsam WS), PS 2290 (Sematan Mangrove)

Microporus subvernicipes (Murrill) T. Hatt. & Sotome, Mycoscience 54(4): 298 (2013)
PS 04432 (Gedong) (Plate 18-89c), PS 1462 (Gn Batu, Bau) (Plate 18-89a, b), PS 1299 (Samunsam WS)

Microporus xanthopus (Fr.) Kuntze, Revis. gen. pl. (Leipzig) 3(2): 494 (1898)
= *Polyporus xanthopus* Fr. Syst. mycol. 1: 350 (1821)
PS.00046 (Bako NP), FP. No. 00003 / PS No. 00003 (Bkt Regu, Pedawan) (Plate 18-90), PS. 01393 (Gn Batu, Bau), PS05042 (Semengoh FR)

Navisporus floccosus complex (Bres.) Ryvarden [as 'floccosa'], in Ryvarden & Johansen, Prelim. Polyp. Fl. E. Afr. (Oslo): 443 (1980)
= *Trametes floccosa* Bres. Ann, Roy, Inst. Bot. Roma 6: 179 (1896)
PS. 0919 (Sematan) (Plate 19-91), PS 05288 (Loba Rambungan), PS. 0630 / FP. 0649, PS. 0633 / FP. 0649 (Sematan)

Neofomitella rhodophaea complex (Lév.) Dai, Hai & Vlasák, in Li, Li, Vlasák & Dai, Mycotaxon 129: 15 (2015)
= *Polyporus rhodophaeus* Lév. Ann. Sci. Nat. Ser. 3 vol 2: 190 (1844)
= *Fomitopsis rhodophaeus* (Lév.) Imazeki Bull. Tokyo Sci. Mus. 6: 92 (1943)
= *Fomitella rhodophaea* (Lév.) T. Hatt., Mycoscience 46(5): 305 (2005)
PS. 0737 / FP. 0563 (Bkt Buri) (Plate 19-92), PS. 0646 / FP. 0490 (Sematan) (Plate 19-93)

Perenniporia decurrata Corner, Beih. Nova Hedwigia 96: 105 (1989)
PS 2190 (Lambir NP) (Plate 19-94), PS.0853/FP.0583 (Sawai PF), FP No. 00544 / PS No. 00861 (Sawai PF)

Perenniporia ferruginea Corner [as 'Perenniporis'], Beih. Nova Hedwigia 96: 106 (1989)
PS 04986 (Gn Lesong, Sri Aman) (Plate 19-95)

Perenniporia latissima (Bres.) Ryvarden, Mycotaxon 33: 314 (1988)

= *Fomes latissimus* Bres., Ann. Mycol. 8: 588 (1910)
= *Vanderbylia latissima* (Bres.) Reid, Jl S. Afr. Bot. 39: 167 (1973)
PS.0752/ FP.0559, PS.751/FP.0559 (Bkt Buri), PS. 0055/FP.0435 (Semengoh Arboretum) (Plate 20-96)

Perenniporia marmorata (Corner) T. Hatt., Mycoscience 41(4): 343 (2000)
= *Buglossoporus marmoratus* Corner, Beih. Nova Hedwigia 78: 168 (1984)
PS 1775 (Bkt Undan, Bau), FP No.00625 / PS. No. 00529 (Gn Santubong), PS 2311 (Sg Bedaun, Sematan) (Plate 20-97)

Polyporus arcularius complex (Batsch) Fr., Syst. mycol. (Lundae) 1: 342 (1821)
= *Lentinus arcularius* (Batsch) Zmitr., IJMM 12: 88 (2010)
PS05370 (Sakawi camp, Tatau, Bintulu Div.) (Plate 20-98)

Polyporus dictyopus complex Mont., Annls Sci. Nat., Bot., sér.2 3: 349 (1835)
PS. 01396 (Gn Batu, Bau) (Plate 20-99), PS.02348 (Bkt Pagon Periok, Limbang), PS.00883, PS04842 (Engkabang Plantation Semengoh), FP No. 00083/ PS No. 00481, PS. 03414 (Gn Mulu NP), PS. 01766 (Gn Raya, Bau), PS. 02187 (Lambir NP) (Plate 20-100), FP No. 00083/ PS No. 00035 (Serian), PS 05345 (Sg Sendok, Matang), PS. 03548 (Similajau NP), PS 04961 (Tg Rian, Sibu)

Polyporus philippinensis complex Berk., London J. Bot. 1(3): 148 (1842)
PS.02763 (Bkt Skalap, Bintulu), PS 05352 (Matang WC), FP No. 00065 / PS No. 01326 (Plate 21-101), FP No. 00065 / PS No. 03149 (Samunsam WS), PS.04263 (Belaga), FP No. 00065 / PS No. 00860 (Sawai PF)

Pycnoporus puniceus (Fr.) Ryvarden, Norw. Jl Bot. 19: 236 (1972)
= *Trametes punicea* Fr. Nova Acta Reg. Soc. Sci. Ups. Ser. III, Vol. 1: 98 (1851)
PS 2262 (Gn Gading FR), FP No. 00717 / PS NO. 01380 (Sabal FR) (Plate 21-102)

Pycnoporus sanguineus (L.) Murrill, Bull. Torrey bot. Club 31(8): 421 (1904)
= *Polyporus sanguineus* Fr, Syst, Mycol, 1: 371 (1821)
FP No. 00019 / PS No. 00051 (Bako NP), PS 05473 (Batu Lawi NP), FP No. 00019 / PS No. 00009 (Bkt Regu, Pedawan), PS. 03524 (Gn Pueh, Sematan) (Plate 21-103), PS.02086 (Lambir), PS 05577 (Lubok Pulau Helang, Lawas), PS 1574, PS.01573 (Niah FR), FP No. 00019 / PS No. 01505 (Oya Road, Sibu), PS 05578 (Pulau Pulauan, Lawas), FP No. 00091 / PS No. 01200 (Retus PF), PS 1296 (Samunsam WS), FP No. 00019 / PS No. 01179 (Sebuyau PF), FP No. 00019 / PS NO. 00647 (Sematan), PS05125 (Sg Angus, Sematan), PS 05590 (Sg Kenalian, Lawas), PS05304 (Sg Stoh, Rambungan), FP No. 00019 / PS No. 01159 (Sg Tekalong, Lintgga), PS04341 (Sri Aman), PS 05022 (Subis, Niah)

Pyrofomes albomarginatus (Zipp. ex Lév.) Ryvarden [as 'albo-marginatus'], Norw. Jl Bot. 19: 236 (1972)
= *Polyporus albo-marginatus* Lév. Ann. Sci. Nat. Ser. 3, Vol. 2: 191 (1844)
PS04832 (Bako NP), PS 2508 (Bkt Pagon Periok, Limbang), PS04915 (Lambir NP), PS. 01526 (Niah FR) (Plate 21-104), PS 1297, PS 1366 (Samunsam WS)

Trametes lactinea (Berk.) Sacc., Syll. fung. (Abellini) 6: 343 (1888)

= *Polyporus lactineus* Berk. Ann. Nat. Hist. 10: 373 (1842)
= *Leiotrametes lactinea* (Berk.) Welti & Courtec., in Welti, Moreau, Favel, Courtecuisse, Haon, Navarro, Taussac & Lesage-Meessen, Fungal Diversity 55: 60 (2012)
PS.02078 (Lambir) (Plate 21-105), PS 05579 (Pulau Pulauan, Lawas), PS. No. 4784 (Sg Angkong Camp, Lingga)

Trametes leonina (Klotzsch) Imazeki, Bull. Gov. Forest Exp. Stn Tokyo 57: 120 (1952)
PS 05129 (Sg Angus, Sematan) (Plate 22-106)

Trametes menziesii (Berk.) Ryvarden [as 'menzeisii'], Norw. Jl Bot. 19(3-4): 236 (1972)
= *Polyporus menziesii* Berk. Ann. Nat. Hist. 10: 378 (1843)
= *Leiotrametes menziesii* (Berk.) Welti & Courtec., in Welti, Moreau, Favel, Courtecuisse, Haon, Navarro, Taussac & Lesage-Meessen, Fungal Diversity 55: 60 (2012)
PS. 01399 (Gn Batu, Bau), PS02278 (Gn Gading FR) (Plate 22-107), PS 1299, PS 1321 (Samunsam WS)

Trametes meyenii (Klotzsch) Lloyd, Mycol. Writ. 5(Letter 67): 14 (1918)
= *Polyporus meyenii* Kl. Nova. Acta Leop. - Carol. 19 Suppl. 1: 239 (1845)
= *Cerrena meyenii* (Kl.) Hansen, Nat. Hist. Rennel Isl. 3: 129 (1960)
FP No. 00062 / PS No. 00027 (Gn Mulu NP), PS 2016 (Gn Sebeduk, Krian Pedawan), PS05010 (Gn Selantek, Sri Aman), PS04956 (Niah NP), PS. 0581/ FP. 0474 (Retus PF) (Plate 22-108), PS 1325 (Samunsam WS), PS05130 (Sg Angus, Sematan), PS04995 (Sebuyau PF), PS05041 (Semengoh FR)

Trametes modesta complex (Kunze ex Fr.) Ryvarden, Norw. Jl Bot. 19: 236 (1972)
= *Polyporus modestus* Fr. Linnaea 5: 519 (1830)
PS 2383 (Bkt Pagon Periok, Limbang) (Plate 22-109)

Vanderbylia latissima complex (Bres.) D.A. Reid, Jl S. Afr. Bot. 39(2): 167 (1973)
PS. 0991 / FP.0732 (Timber Research Centre, Kuching) (Plate 22-110)

Steccherinaceae

Antrodiella liebmannii (Fr.) Ryvarden, in Ryvarden & Johansen, Prelim. Polyp. Fl. E. Afr. (Oslo): 258 (1980)
Basionym:
= *Polyporus liebmannii* Fr. Nova Acta Reg. Soc. Sci. Upsal. III, 1: 59 (1851)
PS 2001 (Gn Mentawa, Pedawan), PS 04934 (Niah NP) (Plate 23-111)

Flabellophora licmophora (Massee) Corner, Beih. Nova Hedwigia 86: 32 (1987)
PS 04978 (Sg Tekalong, Lintgga) (Plate 23-112)

Flabellophora obovata (Jungh.) Corner, Beih. Nova Hedwigia 86: 36 (1987)
= *Microporellus obovatus* (Jungh.) Ryvarden, Norw. Jl Bot. 19: 232 (1972)
PS 939 (Bako NP) (Plate 23-113), PS.0339 / FP.0419 (Gn Jebong, Bau)

Flabellophora superposita (Berk.) G. Cunn., Bull. N.Z. Dept. Sci. Industr. Res., Pl. Dis. Div. 164: 88 (1965)
PS. No. 003202 (Bako NP), PS 1776 (Bkt Undan, Bau) (Plate 23-114), PS 1811 (Gn Lundu), PS 05202 (Ulu Balingian)

Nigroporus vinosus (Berk.) Murrill, Bull. Torrey bot. Club 32(7): 361 (1905)
= *Polyporus vinosus* Berk. Ann. Mag. Nat. Hist. ser 2, 11: 195 (1852)
PS 1463 (Gn Tai Ton, Bau) (Plate 23-115), PS 04965 (Niah NP), PS 1358 (Samunsam WS), PS.04485 (Sg Apat, Dalat)

Order RUSSULALES
Bondarzewiaceae
Wrightoporia gillesii A. David & Rajchenb., Can. J. Bot. 65(1): 204 (1987)
= *Pseudowrightoporia gillesii* (David & Rajchenb.) Dai, Chen & Cui, in Chen, Cui & Dai, Persoonia 37: 31 (2015)
PS 1422 (Gn Umbut, Bau) (Plate 24-116)
Wrightoporia trametoides (Corner) Stalpers, Stud. Mycol. 40: 37 (1996)
PS 1391 (Gn Batu, Bau) (Plate 24-117), PS.0163 / FP. 0121 (Semengoh Arboretum), PS 05215 (Ulu Balingian)

Order TRECHISPORALES
Hydnodontaceae
Cristelloporia pahangensis (Corner) T. Hatt., Mycoscience 44(6): 459 (2003)
PS 1465 (Gn Tai Ton, Bau) (Plate 24-118)

Order INCERTAE SEDIS
Incertae sedis
Roseofavolus eos (Corner) T. Hatt., Mycoscience 44(6): 458 (2003)
PS 03955 (Belaga), PS.04112 (Gn Mulu NP), PS04380 (Menggu Jela) (Plate 24-119), PS 05079 (Sampadi FR), PS.04484 (Sg Apat, Dalat)

Acknowledgements

This study was conducted in accordance with the Memorandum of Understanding signed between the Sarawak Forest Department (SFD) and the Japan Research Consortium for Tropical Forests in Sarawak in November 2012. SFD issued a research permission for this study. We thank Tuan Haji Sapuan B. Ahmad, Puan Runi Anak Sylvester Pungga, Encik Mohd Shahbudin Bin Haji Sabki, Encik Paulus Anak Meleng, Encik Engkamat Lading, and Encik Mohamad B. Kohdi of SFD for their help and support to conduct this study. This study was done in accordance with research activities by the Takao Itioka's Laboratory of Graduate School of Human and Environmental Studies, Kyoto University and supported by the members of the laboratory. This study was funded by JSPS KAKENHI Grant Numbers JP15H06445, JP17K07842 and JP17H04623.

Literature cited

Choeyklin R, Hattori T, Jaritkhuan S, Jones EBG 2009. Bambusicolous polypores collected in Central Thailand. Fungal Divers 36: 121–128.

Corner EJH 1983. Ad Polyporaceas I. Beih. Nova Hedwig. 75: 1–182.

Corner EJH 1984. Ad Polyporaceas II&III. Beih. Nova Hedwig. 78: 1–219.

Corner EJH 1987. Ad Polyporaceas IV. Beih. Nova Hedwig. 86: 1–265.

Corner EJH 1989a. Ad Polyporaceas V. Beih. Nova Hedwig. 96: 1–218.

Corner EJH 1989b. Ad Polyporaceas VI. Beih. Nova Hedwig. 97: 1–197.

Corner EJH 1991. Ad Polyporaceas VII. Beih. Nova Hedwig. 101: 1–175.

Dai Y-C, Li H-J 2012. Type studies on *Coltricia* and *Coltriciella* described by E.J.H. Corner from Southeast Asia. Mycoscience 53: 337–346.

Graham CH, Ferrier S, Huettman F, Moritz C, Peterson AT 2004. New developments in museum-based informatics and applications in biodiversity analysis. Trends Ecol Evol 19: 497–503.

Hattori T 2000. Type studies of the polypores described by E.J.H. Corner from Asia and the West Pacific. I. Species described in *Polyporus*, *Buglossoporus*, *Meripilus*, *Daedalea*, and *Flabellophora*. Mycoscience 41: 339-349.

Hattori T 2001. Type studies of the polypores described by E.J.H. Corner from Asia and the West Pacific. II. Species described in *Gloeophyllum*, *Heteroporus*, *Microporellus*, *Oxyporus*, *Paratrichaptum*, and *Rigidoporus*. Mycoscience 42: 19–28.

Hattori T 2003a. Type studies of the polypores described by E.J.H. Corner from Asia and the West Pacific. V. Species described in *Tyromyces* (2). Mycoscience 44: 265–276.

Hattori T 2003b. Type studies of the polypores described by E.J.H. Corner from Asia and the West Pacific. VI. Species described in *Tyromyces* (3), *Cristelloporia*, *Grifola*, *Hapalopilus*, *Heterobasidion*, *Ischnoderma*, *Loweporus*, and *Stecchericium*. Mycoscience 44: 453–463.

Hattori T 2005. Type studies of the polypores described by E.J.H. Corner from Asia and the West Pacific. VII. Species described in *Trametes* (1). Mycoscience 46: 303–312.

Hattori T 2008. *Wrightoporia* (Basidiomycota, Hericiales) species and their allies collected in Japan. Mycoscience 49: 56–65.

Hattori T, Sakayaroj J, Jones EBG, Suetrong S, Preedanon S, Klaysuban A 2014. Three species of *Fulvifomes* (Basidiomycota, Hymenochaetales) associated with rots on mangrove tree *Xylocarpus granatum* in Thailand. Mycoscience 55: 344–354.

Hattori T, Sotome K 2013. Tyep studies of the polypores described by E.J.H. Corner from Asia and West Pacific areas VIII. Species described in *Trametes* (2). Mycoscience 54: 297–308.

Hawksworth DL 2001. The magnitude of fungal diversity: the 1.5 million species estimate revisited. Mycol Res 105:1422–1432.

Justo A, Miettinen O, Floudas D, Ortiz-Santana B, Sjökvist E, Lindner D, Nakasone K, Niemela T,

Larsson K-H, Ryvarden L, Hibbett DS 2017. A revised family-level classification of the Polyporales (Basidiomycota). Fungal Biol 121: 798-824.

Kirk PM, Cannon PF, Minter DW, Stalpers JA 2008. *Dictionary of the Fungi. 10th ed.* CABI Publishing, Wallingford, UK.

Lavoie C 2013. Biological collections in an ever changing world: herbaria as tools for biogeographical and environmental studies. Perspect Plant Ecol Evol Syst 15:68–76.

Li H-J, Cui BK, Dai Y-C 2014. Taxonomy and multi-gene phylogeny of *Datronia* (Polyporales, Basidiomycota. Persoonia 32: 170–182.

Núñez M, Ryvarden L. 2000. *East Asian Polypores. Volume 1. Ganodermataceae and Hymenochaetacea*e. Fungiflora, Oslo, Norway.

Núñez M, Ryvarden L. 2001. *East Asian Polypores. Volume 2. Polyporaceae s lato*. Fungiflora, Oslo, Norway.

Ota Y, Hattori T, Banik MT, Hagedorn G, Sotome K, Tokuda S, Abe Y 2009. The genus *Laetiporus* (Basidiomycota, Polyporales) in East Asia. Mycol Res 113: 1283–1300.

Ryvarden L, Johansen I 1980. A preliminary polypore flora of East Africa. Fungiflora, Oslo, Norway.

Sotome K, Akagi Y, Lee SS, Ishikawa NK, Hattori T 2013. Taxonomic study of *Favolus* and *Neofavolus* gen. nov. segregated from *Polyporus* (Basidiomycota, Polyporales). Fungal Divers 58: 245–266.

Sotome K, Hattori T, Ota Y, Lee SS, Vikineswary S, Noorlidah A, Kakishima M 2009. Taxonomic study of Asian species of *Echinochaete* (Polyporaceae, Basidiomycota) and description of *E. maximipora* sp. nov. Mycol Progress 8: 123–132.

Sotome K, Maekawa N, Nakagiri A, Lee SS, Hattori T 2014. Taxonimic study of Asian species of poroid Auriculariales. Mycol Progress 13: 987–997.

Yamashita S, Sim MH, Hattori T 2009a. List of polypores and other aphyllophoraceous fungi collected in the Lambir Hills National Park, Sarawak, Malaysia. Contrib Biol Lab Kyoto Univ 29: 1–24.

Yamashita S, Hattori T, Ohkubo T, Nakashizuka T 2009b. Spatial distribution of the basidiocarps of aphyllophoraceous fungi in a tropical rainforest on Borneo Island, Malaysia. Mycol Res 113: 1200–1207.

Yamashita S, Hattori T, Lee SS, Okabe K 2015. Estimating the diversity of wood-decaying polypores in tropical lowland rain forests in Malaysia: the effect of sampling strategy. Biodivers Conserv 24: 393–406.

Explanation of plates

Plate 1. **1**: *Elmerina cladophora* complex **2**: *Elmerina substuppea* complex **3**: *Protodaedalea foliacea* **4**: *Serpula similis* complex **5**: *Gloeophyllum imponens* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 2. **6**: *Gloeophyllum striatum* **7**: *Coltricia kinabaluensis* complex **8:** *Coltriciella deceptiva* **9**: *Coltriciella dependens* **10**: **"***Cyclomyces*" *setiporus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 3. **11:** *Fulvifomes fastuosus* complex **12**: *Fuscoporia discipes* **13**: *Fuscoporia gilva* complex **14**: *Fuscoporia gilva* complex **15**: *Fuscoporia senex* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 4. **16**: *Hymenochaete cyclolamellata* **17**: *Hymenochaete porioides* **18**: *Inonotus clemensiae* **19**: *Inonotus pachyphloeus* **20**: *Inonotus patouillardii* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 5. **21**: *Phellinus glaucescens* **22**: *Phellinus lamaensis* **23**: *Phellinus setulosus* **24**: *Phylloporia chrysites* **25**: *Phylloporia pectinata* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 6. **26**: *Pyrrhoderma adamantinum* **27**: *Oxyporus mollissimus* **28**: *Trichaptum biforme* **29**: *Trichaptum byssogenum* **30**: *Trichaptum durum* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 7. **31**: *Trichaptum lacunosum* **32**: *Trichaptum sprucei* **33**: *Cerrena zonata* complex **34**: *Daedalea aurora* complex **35**: *Daedalea dochmia* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 8. **36**: *Daedalea lusor* **37**: *Daedalea pseudodochmia* **38**: *Fomitopsis ostreiformis* complex **39**: *Fomitopsis pseudopetchii* **40**: *Fomitopsis rubida* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 9. **41**: *Tyromyces armeniacus* **42**: *Flavodon cervinogilvus* **43**: *Flavodon flavus* **44**: *Laetiporus discolor* **45**: *Laetiporus sulphureus* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 10. **46**: *Meripilus applanatus* **47**: *Rigidoporus defibulatus* **48**: *Rigidoporus lineatus* **49**: *Rigidoporus microporus* **50**: *Abortiporus zonatus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 11. **51**: *Abundisporus fuscopurpureus* **52**: *Amauroderma atrum* **53**: *Amauroderma conjunctum* **54**: *Amauroderma leptopus* **55**: *Amauroderma parasiticum* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 12. **56**: *Amauroderma subrugosum* **57**: *Coriolopsis albobadia* **58**: *Coriolopsis aspera* complex **59**: *Coriolopsis badia* **60**: *Coriolopsis caperata* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 13. **61**: *Coriolopsis glabrorigens* **62**: *Coriolopsis lacunosa* **63**: *Coriolopsis polyzona* **64**: *Coriolopsis sanguinaria* **65**: *Coriolopsis strumosa* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 14. **66**: *Datroniella subtropica* **67**: *Earliella scabrosa* **68**: *Echinochaete russiceps* **69**: *Favolus brasiliensis* complex **70**: *Favolus emerici* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 15. **71**: *Favolus roseus* **72**: *Favolus spatulatus* complex **73**: *Ganoderma australe* complex **74**: *Ganoderma colossus* **75**: *Ganoderma lucidum* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 16. **76**: *Ganoderma ochrolaccatum* **77**: *Hexagonia tenuis* **78**: *Lenzites acutus* **79**: *Lenzites elegans* **80**: *Lenzites vespaceus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 17. **81**: *Lignosus rhinocerus* **82**: *Microporellus fuliginosus* **83**: *Microporellus grandiporus* complex **84**: *Microporellus inusitatus* complex **85**: *Microporellus inusitatus var. parvisporus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 18. **86**: *Microporus affinis* **87**: *Microporus affinis-microloma* **88**: *Microporus carneoniger* **89**: *Microporus subvernicipes* **90**: *Microporus xanthopus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 19. **91**: *Navisporus floccosus* complex **92**: *Neofomitella rhodophaea* complex **93**: *Neofomitella rhodophaea* complex **94**: *Perenniporia decurrata* **95**: *Perenniporia ferruginea* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 20. **96**: *Perenniporia latissima* **97**: *Perenniporia marmorata* **98**: *Polyporus arcularius* complex **99**: *Polyporus dictyopus* complex **100**: *Polyporus dictyopus* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 21. **101**: *Polyporus philippinensis* complex **102**: *Pycnoporus puniceus* **103**: *Pycnoporus sanguineus* **104**: *Pyrofomes albomarginatus* **105**: *Trametes lactinea* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 22. **106**: *Trametes leonina* 1**07**: *Trametes menziesii* **108**: *Trametes meyenii* **109**: *Trametes modesta* complex **110**: *Vanderbylia latissima* complex **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 23. **111**: *Antrodiella liebmannii* **112**: *Flabellophora licmophora* **113**: *Flabellophora obovata* **114**: *Flabellophora superposita* **115**: *Nigroporus vinosus* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.

Plate 24. **116**: *Wrightoporia gillesii* **117**: *Wrightoporia trametoides* **118**: *Cristelloporia pahangensis* **119**: *Roseofavolus eos* **120**: cf. *Gloeophyllum* **a:** pileus surface, **b:** pore surface, **c:** cross section. The divisions of a scale are equal to 1mm.



Plate 1 (pic 1-5)



Plate 2 (pic 6-10)



Plate 3 (pic 11-15)

Plate 4 (pic 16-20)



Plate 5 (pic 21-25)



Plate 6 (pic 26-30)



Plate 7 (pic 31-35)



Plate 8 (pic 36-40)



Plate 9 (pic 41-45)



Plate 10 (pic 46-50)



Plate 11 (pic 51-55)



Plate 12 (pic 56-60)



Plate 13 (pic 61-65)

Plate 14 (pic 66-70)



Plate 15 (pic 71-75)



Plate 16 (pic 76-80)



Plate 17 (pic 81-85)



Plate 18 (pic 86-90)



Plate 19 (pic 91-95)

Plate 20 (pic 96-100)

Plate 21 (pic 101-105)



Plate 22 (pic 106-110)

Plate 23 (pic 111-115)



Plate 24 (pic 116-120)

Addresses of the Authors:

(Mr) Satoshi Yamashita, Dr.山下　聡
Tokushima University, Tokushima, 770-8506, Japan
[*author to whom correspondence should be addressed*]
E-mail: symsht@tokushima-u.ac.jp

(Mdm) Habibah Bt Salleh, Bc.サレー　ハビバ
Forest Department Sarawak, Kuching, 93250, Malaysia
E-mail: habibas1@sarawak.gov.my

(Mr) Tsutomu Hattori, Dr. 服部　力
Forestry and Forest Products Research Institute, Tsukuba 305-8687, Japan
E-mail: hattori@ffpri.affrc.go.jp